

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

Attorney Docket No. 38190/208850

As a below named inventor, I hereby declare that:

My residence, mailing address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

MIN/MAX INVENTORY CONTROL SYSTEM AND ASSOCIATED METHOD AND
COMPUTER PROGRAM PRODUCT,

the specification of which

☒ is attached hereto

OR

☐ was filed on _____ as United States Application No. or PCT International Application Number
and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate, or of any PCT International application having a filing date before that of the application on which priority is claimed.

(None)			<input type="checkbox"/> Yes <input type="checkbox"/> No
Number	Country	MM/DD/YYYY Filed	Priority Claimed
			<input type="checkbox"/> Yes <input type="checkbox"/> No
Number	Country	MM/DD/YYYY Filed	Priority Claimed
			<input type="checkbox"/> Yes <input type="checkbox"/> No
Number	Country	MM/DD/YYYY Filed	Priority Claimed

Parameter	Value	Unit
Temperature	25.0	°C
Pressure	1.0	atm
Flow rate	1.0	L/min
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Path length	1.0	cm
Sample volume	10	μL
Injection volume	1	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100	%
Time	0-30	min
Flow rate	1.0	mL/min
Temperature	40	°C
Pressure	10	MPa

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application (37 C.F.R. § 1.63(d)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the practitioners associated with The Boeing Company and with the Customer Number provided below to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to that Customer Number:

Customer Number 000826, and

David J. Clement, Reg. No. 44,082
Paul C. Cullom, Reg. No. 25,580
Harry B. Field, Reg. No. 27,880
Ann K. Galbraith, Reg. No. 33,530
Lawrence N. Ginsberg, Reg. No. 30,943
Terje Gudmestad, Reg. No. 32,232
Robert L. Gullette, Reg. No. 26,899
James P. Hamley, Reg. No. 28,081
John C. Hammar, Reg. No. 29,928
Thomas W. Hennen, Reg. No. 27,798
Lynn H. Hess, Reg. No. 25,160
Hank Kohlmann, Reg. No. 26,672
Lawrence W. Nelson, Reg. No. 34,684
Bryan C. Ogden, Reg. No. 25,362
John R. Rafter, Reg. No. 28,533
Robert R. Richardson, Reg. No. 40,143
Charles T. Silberberg, Reg. No. 26,584

Direct telephone calls to:

Andrew T. Spence
Registration No. 45,699
Tel Charlotte Office (704) 444-1000
Fax Charlotte Office (704) 444-1111

Full name of (first/sole) inventor: Brian D. Laughlin

Inventor's

Signature:

Residence:

Brian D. Laughlin Date: 6/15/01
Wichita, KS

Citizenship:

United States of America

Mailing Address:

The Boeing Company
P.O. Box 3707, Mail Stop 1308
Seattle, Washington 98124-2007

Full name of second inventor:

David R. Denny

Inventor's

Signature:

David R. Denny

Date:

6/15/01

Residence:

Colwich, KS

Citizenship:

United States of America

Mailing Address:

The Boeing Company

P.O. Box 3707, Mail Stop 1308

Seattle, Washington 98124-2007

CLT01/4482516v1